Weatherproof IR Camera

MTC-L631

1/3" Med-Res. Color Weatherproof Cal Sony Super HAD CCD Built-in 16 IR LEDs Water Resistance IP67



SPECIFICATIONS

	MTC-L631	
TV System	PAL	NTSC
Image Sensor	1/3" SONY Super HAD CCD	
Number of Total Pixels	512(H) x 582(V)	512(H) x 492(V)
Synchronizing System	Internal	
Resolution	420TVL	
Minimum Illumination	0.4Lux@F2.0(W/O IR), 0Lux(W/IR) IR LED ON at 4Lux, controlled by a CDS Sensor	
IR Working Distance	10~15m	
IR LEDs	16 units	
Water Resistance	IP67	
Auto Gain Control	Automatic	
Electronic Shutter Speed Mode	Automatic, 1/50(60) sec.~1/100,000sec.	
Back Light Compensation	Automatic	
Signal to Noise Ratio	48dB	
Video Output	1Vp-p Composite/75 Ω	
White Balance	3,200°K ~ 9,200°K	
Power Supply	12Vdc	
Power Consumption	2.5W	
Lens/Angle of View(Horizontal)	Standard: f4.3mm/F2.0/63°; Options: f3.6mm/72.5°, f6.0mm/47.5°, f8.0mm/36.5°	
Operation Temperature	-10° C ~ 50° C	
Operation Humidity	RH85% or less	
Storage Temperature	-20°C ~ +60°C	
Dimensions	118(L) x 66(φ)mm w/o Bracket	
Weight	470g	

DIMENSIONS

