SAFETY DATA SHEET ULTRACLENS

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY:

PRODUCT NAME: ULTRACLENS

PART No.: EULC200/400D

SUPPLIER: H K WENTWORTH PTY LIMITED

P.O. BOX 339

BROOKVALE, NSW 2100

AUSTRALIA Tel: 02 9938 1566 Fax: 02 9938 1566

2. COMPOSITION/INFORMATION ON INGREDIENTS:

NAME
CAS No.: EINECS Nr.: CLASSIFICATION
C11-C15 Iso alkanes
30-60 %

Xn R-65

3-BUTOXYPROPAN-2-OL

5131-66-8 225-878-4 Xi R-36/38

C9-C12 Iso alkanes 30-60 %

Xn R-65, 66

The Full Text for all R-Phrases are Displayed in Section 16

3. HAZARDS IDENTIFICATION:

Not regarded as a health or environmental hazard under current legislation.

10-30 %

DANGEROUS GOODS: NON HAZARDOUS SUBSTANCE.

4. FIRST AID MEASURES:

INHALATION: Move the exposed person to fresh air at once. Keep the affected person warm and at

rest. Get prompt medical attention.

INGESTION: DO NOT INDUCE VOMITING!

Rinse mouth thoroughly.

SKIN: Wash the skin immediately with soap and water. Get medical attention if any discomfort

continues.

EYES: Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash

eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15

minutes and get medical attention.

5. FIRE FIGHTING MEASURES:

EXTINGUISHING MEDIA: This material is not flammable. Use extinguishing media appropriate for surrounding

fire.

SPECIAL FIRE FIGHTING

PROCEDURES:

Move container from fire area if it can be done without risk.

UNUSUAL FIRE & EXPLOSION

HAZARDS:

Aerosol cans may explode in fires.

6. ACCIDENTAL RELEASE MEASURES:

SPILL CLEANUP METHODS: Absorb in vermiculite, dry sand or earth and place into containers.

7. HANDLING AND STORAGE:

USAGE PRECAUTIONS: Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is

above accepted level.

STORAGE PRECAUTIONS: Store at moderate temperatures in dry, well ventilated area.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION:

VENTILATION: No particular ventilation requirements.

OTHER PROTECTION: Wear appropriate clothing to prevent any possibility of liquid contact and repeated or

prolonged vapour contact.

HYGIENIC WORK PRACTICES: Wash at the end of each work shift and before eating, smoking and using the toilet.

Use appropriate skin cream to prevent drying of skin. No eating or drinking while

working with this material. DO NOT SMOKE IN WORK AREA!

9. PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE: Aerosol. Liquid.

COLOUR: Colourless.

ODOUR/TASTE: Characteristic.

BOILING POINT (°C, interval): 173 - 193 Pressure:

MELT./FREEZ. POINT (°C, interval): -50

DENSITY/SPECIFIC GRAVITY 0 0.790 Temperature (°C): 25

(g/ml):

VAPOUR PRESSURE: 0.5 kPa Temperature (°C): 38

VOLATILITY DESCRIPTION: Volatile.

SOLUBILITY DESCRIPTION: Insoluble in water.

FLASH POINT (°C): >60 Method:

AUTO IGNITION TEMP. (°C): > 750

FLAMMABILITY LIMIT - LOWER(%): 0.6

FLAMMABILITY LIMIT - UPPER(%): 7

10. STABILITY AND REACTIVITY:

CONDITIONS TO AVOID: Avoid heat, flames and other sources of ignition. Avoid contact with acids and alkalies.

HAZARDOUS DECOMP.

PRODUCTS:

Fire or high temperatures create: Carbon monoxide (CO). Carbon dioxide (CO2).

11. TOXICOLOGICAL INFORMATION:

HEALTH HAZARDS, GENERAL: No specific health warnings noted.

INHALATION: High concentrations of vapours may irritate respiratory system and lead to headache,

fatigue, nausea and vomiting.

SKIN: Contact with liquid form may cause frostbite.

OTHER HEALTH EFFECTS: This substance has no evidence of carcinogenic properties.

12. ECOLOGICAL INFORMATION:

ECOLOGICAL INFORMATION: Not regarded as dangerous for the environment.

13. DISPOSAL CONSIDERATIONS:

DISPOSAL METHODS: Empty containers must not be burned because of explosion hazard. Dispose of in

accordance with Local Authority requirements.

14. TRANSPORT INFORMATION:

LABEL FOR CONVEYANCE:



UN No. ROAD: 1950

UK ROAD TRANSPORT CLASS: 2.2

UK ROAD PACK GR.: Not Applicable

ADR CLASS No.: 2.2

ADR CLASS: Division 2.2: Nonflammable, nontoxic gases.

ADR ITEM No.: Not Applicable

ADR MARGINAL: 2201

ADR LABEL No.: 2.2

CEFIC TEC(R) No.: 20G5A,20G5O

PROPER SHIPPING NAME I: AEROSOLS

RID CLASS No.: 2.2

RID ITEM No.: Not Applicable

UN No. SEA: 1950

IMDG CLASS: 2.2

IMDG PAGE No.: 9022

IMDG PACK GR.: Not Applicable

EmS No.: F-D; S-U

MFAG TABLE No.: See Guide

MARINE POLLUTANT: No.

UN No., AIR: 1950

ICAO CLASS: 2.2

AIR PACK GR.: Not Applicable

15. REGULATORY INFORMATION:

NC Not classified

RISK PHRASES: Not classified.

SAFETY PHRASES: SPECIAL PROVISIONS ON THE LABELLING OF AEROSOL DISPENSERS.

Pressurized container: protect from sunlight and do not expose to temperatures

exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.

Keep away from sources of ignition - No smoking.

Keep out of the reach of children.

UK REGULATORY REFERENCES: Petroleum (Consolidation) Act, as amended 1984 SI 1244. Highly Flammable Liquid

Regulations 1972. Chemicals (Hazard Information & Packaging) Regulations 1993.

ENVIRONMENTAL LISTING: Rivers (Prevention of Pollution) Act 1961. Control of Pollution (Special Waste

Regulations) Act 1980.

EU DIRECTIVES: System of specific information relating to Dangerous Preparations. 91\155. Dangerous

Preparations Directive 88\379.

APPROVED CODE OF PRACTICE: Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES: Occupational Exposure Limits EH40. Introduction to Local Exhaust Ventilation

HS(G)37. CHIP for everyone HSG(108).

16. OTHER INFORMATION:

USER NOTES: CN No 38140090

REVISION COMMENTS: Revised in accordance with CHIP3 and EU Directive 1999/45/EC

ISSUED BY: Helen O'Reilly

REVISION DATE: MAY 2003

REV. No./REPL. SDS GENERATED: 0

SDS No.: 10638

DISCLAIMER: This information relates only to the specific material designated and may not be valid

for such material used in combination with any other materials or in any process unless specified in the text. The information contained in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or

quality specification

R-PHRASES (Full Text): R-65 Harmful: may cause lung damage if swallowed. R-66 Repeated exposure may

cause skin dryness or cracking. R-36/38 Irritating to eyes and skin.